

Azcue - BT/LV 100T 01 no plate

STATUS

Available

REF. NUMBER

LP250

MANUFACTURE

Azcue

TYPE

BT/LV 100T 01 no plate

REMARKS

ABB motor. 22/25 kW, 50/60 Hz, 980/1180 rpm, 440 volt



PDF

[btlv_instruction_manual](#)

PDF

[bt-lh_lv_datasheet-min](#)







Dimensiones Dimensions Dimensions

N. 776-LV80125

Azcue BT/LV 100T 01

Tipo / Type BT-LV

Bomba / Pump	Tipo / Type	Motor / Moteur																DN	DN2	a	kg (a)
		R.p.m. / 1/min.	a	b	c	d	e	f	g	h	k	m	r	s	x	y					
LV MT HT	100T	1.1	1.2	1.3	1.4	1.5	1.6	1.7	1.8	1.9	2.0	2.1	2.2	2.3	2.4	2.5	150	175	140	175	
	100T	2.2	2.3	2.4	2.5	2.6	2.7	2.8	2.9	3.0	3.1	3.2	3.3	3.4	3.5	3.6	150	175	140	175	
	100T	4.5	4.6	4.7	4.8	4.9	5.0	5.1	5.2	5.3	5.4	5.5	5.6	5.7	5.8	5.9	150	175	140	175	
	100T	7.5	7.6	7.7	7.8	7.9	8.0	8.1	8.2	8.3	8.4	8.5	8.6	8.7	8.8	8.9	150	175	140	175	
	100T	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	150	175	140	175	
	100T	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	150	175	140	175	
	100T	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	150	175	140	175	
	100T	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	150	175	140	175	
	100T	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	150	175	140	175	
	100T	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	150	175	140	175	
LV 22FT	100T	1.1	1.2	1.3	1.4	1.5	1.6	1.7	1.8	1.9	2.0	2.1	2.2	2.3	2.4	2.5	200	250	200	250	
	100T	2.2	2.3	2.4	2.5	2.6	2.7	2.8	2.9	3.0	3.1	3.2	3.3	3.4	3.5	3.6	200	250	200	250	
	100T	4.5	4.6	4.7	4.8	4.9	5.0	5.1	5.2	5.3	5.4	5.5	5.6	5.7	5.8	5.9	200	250	200	250	
	100T	7.5	7.6	7.7	7.8	7.9	8.0	8.1	8.2	8.3	8.4	8.5	8.6	8.7	8.8	8.9	200	250	200	250	
	100T	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	200	250	200	250	
	100T	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	200	250	200	250	
	100T	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	200	250	200	250	
	100T	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	200	250	200	250	
	100T	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	200	250	200	250	
	100T	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	200	250	200	250	

Sujeto a cambios / Subject to alterations / Sujet a des modifications

• En el peso indicado no está incluido el motor
The stated weight does not include the motor
Le poids total indiqué n'inclut pas le moteur

(1) Conexión varicorona. / Varicorona connection. / Connexion varicorona.
(2) Conexión manómetro. / Manometer connection. / Connexion manometre.

Bombas Azcue UK Supplier

bombas-azcue

Supplier of Azcue pumps and spares to the UK and International

Azcue BT-LV Vertical Triple Screw Pump

Vertical self priming long coupled triple screw pumps.
Designed for pumping lubricant media and gasoil, diesel, fuel transfer and feed applications.

Flow rates up to 200m³/hr
Head up to 10bar
Port sizes range from DN 125mm to 200mm
Temperature up to +160°C
Available in Cast Iron GG-25 and Ductile Cast Iron GGG40 (Versions MT/HT).

Azcue BT-LV Pump model numbers:
BT-LV80, BT-LV90, BT-LV100, BT-LV110, BT-LV125

For price and technical information, please contact us at sales@bombas-azcue.co.uk

1/1